

LARGE DIAMETER PIPE



VILLACERO

TODOS EN ACERO

LARGE DIAMETER PIPE

Pipe with longitudinal welding in larger diameters, through the largest inventory with excellent quality, service and delivery time.

CHARACTERISTICS

- In diameters from 150 to 1219 mm (6 "to 48").
- Under ASTM-A-500 grade A, A53 grade A and B, API 5L grades X42 and X52.

USES AND APPLICATIONS

- Conduction of fluids (water, gas, air and hydrocarbons) in large-scale projects.
- Structural projects.

TECHNICAL INFORMATION

THICKNESS		mm		4.8	5.2	5.6	6.4	7.1	7.9	8.2	8.4	8.7	9.3
		in		0.188	0.203	0.219	0.250	0.281	0.312	0.322	0.330	0.344	0.365
NOMINAL DIAMETER		EXTERNAL DIAMETER											
mm	in	mm	in	kg/m									
203	8	219.1	8.625	25.26	27.22	29.28	33.31		41.24	42.55		45.34	
254	10	273.1	10.750	31.62	34.08	36.67	41.75					56.96	60.29
305	12	323.9	12.750	37.62	40.55	43.63	49.71	55.75	61.69		65.18	67.90	
356	14	355.6	14.000	41.35		47.99	54.69	61.35	67.90			74.76	
406	16	406.4	16.000	47.34	51.06	54.96	62.84	70.30	77.83			85.71	
457	18	457.2	18.000				70.60	79.24	87.75			96.66	
508	20	508.0	20.000				78.55	88.19	97.67			107.60	
610	24	609.6	24.000				94.46	106.08	117.51			129.50	
762	30	762.0	30.000				118.33	132.91	147.28			173.34	
914	36	914.4	36.000				142.13	159.97	176.96			195.11	
1219	48	1219.2	48.000									260.85	

THICKNESS		mm		9.5	10.3	11.1	11.9	12.7	14.3	15.9	17.5	19.1	20.6	22.2
		in		0.375	0.406	0.438	0.469	0.500	0.562	0.625	0.688	0.750	0.812	0.875
NOMINAL DIAMETER		EXTERNAL DIAMETER												
mm	in	mm	in	kg/m										
150	6	168.3	6.625	37.28										
203	8	219.1	8.625	49.20										
254	10	273.1	10.750			71.87								
305	12	323.9	12.750	73.78	79.70	85.82								
356	14	355.6	14.000	81.25	87.79	94.55	100.94							
406	16	406.4	16.000	93.27	100.70	108.49	115.86	123.30						
457	18	457.2	18.000	105.10	113.62	122.43	130.78	139.20	155.87					
508	20	508.0	20.000	117.02	126.53	136.37	145.70	155.12						
610	24	609.6	24.000	140.88	152.37	164.26	175.54	186.94	209.50	232.66	255.24			
762	30	762.0	30.000	176.84	191.11	206.09	220.30	234.67	263.12	292.18	320.93	349.02	376.98	405.54
914	36	914.4	36.000	212.59	229.76	247.31	264.94	282.27	316.11	351.70	386.45	420.42	454.27	488.86
1219	48	1219.2	48.000	284.24	307.30	331.52	354.52	377.79	423.94	471.14	517.92	563.70	609.36	656.06

Ced 10 Ced 20 Ced 30 Ced 40 Standard



PROCESSES CERTIFIED
UNDER ISO 9001: 2015 STANDARD
FM 35435



CUSTOMER CONTACT

Local e-mail: info@villacero.com

Mexico Line: 800 220 4040

Monterrey Line: 818 989 8989

International e-mail: expo@villacero.com

International line: +52 818 151 5353